Journal of Testing and Evaluation
Table of Contents
Volume 26, 1998

No. 1, January

Compressibility Relations for Peat and Organic Soil—M. GUNARATNE, P. STINNETTE, A. G. MULLINS, C. L. KUO, AND W. F. ECHELBERGER, JR. 1

Ability of Quality Assurance Tests to Detect Punctured Latex Condoms with Potential for Virus Penetration—V. J. B. PIERDOMINICI, JR., J. M. DOUCETTE, L. COYNE, W. H. CYR, D. P. THOMAS, AND C. D. LYTLE 10

Monitoring Crack Advance Using Acoustic Emission and Combined Acoustic Emission and Potential Drop in Zr-2.5%Nb—G. LIN AND R. L. EADIE 15

A New Approach to Measuring Transverse Properties of Structural Tubing by a Ring Test—Experimental Investigation—S. ARSÈNE AND J. BAI 26

The Shape of Mechanical Hysteresis Loops for Metals Under Harmonic Loading—A. P. BOVSUNOVSKY AND A. G. KRATKO 31

Design and Performance of an Automated Test Facility for Hot-Compression Testing—R. L. TOBLER, B. J. FILLA, AND Y. W. CHENG 38

Experimental Analysis of Bolted Joints in Wood—M. PATTON-MALLORY, P. J. PELLICANE, AND F. W. SMITH 45

Materials Fatigue Life Distribution: A Maximum Entropy Approach—T. GONG AND M. P. NORTON 53

An Automatic Procedure for Evaluation of Young's Modulus of Metallic Materials—A. BRAY, G. BARBATO, F. FRANCESCHINI, R. LEVI, D. ROMANO, AND A. ZOMPI 64

Comparison of Surface Texture Measurement by Stylus and Fiber Optic Transducers—W. SCOTT AND A. DONOVAN 70

Technical Note: A Note on One-Point-Bend Impact Fracture Experiments with Curved Specimens—J. H. GIOVANOLA, R. W. KLOPP, AND S. W. KIRKPATRICK 79

No. 2, March

Interlaboratory Comparison of the ASTM Standard Test Methods for Water Vapor Transmission of Materials (E 96-95)—M. K. KUMARAN 83

Cumulative Fatigue Damage Mechanisms and Quantifying Parameters: A Literature Review—L. YANG AND A. FATEMI 89

Testing of Sandwich Panels Under Uniform Pressure—P. WENNHAGE AND D. ZENKERT 101

Bearing Strength of White Oak Pegs in Red Oak and Douglas Fir Timbers—J. R. CHURCH AND B. W. TEW 109

Modeling Bolted Connections in Wood: A Three-Dimensional Finite-Element Approach—M. PATTON-MALLORY, F. W. SMITH, AND P. J. PELLICANE 115

A Statistical Evaluation of the Staircase and the ArcSin $\sqrt{P}$ Methods for Determining the Fatigue Limit—J. J. BRAAM AND S. VAN DER ZWAAG 125

Mechanical Properties of Laminated Veneer Lumber via Five-Point Bending Test—J. P. BRADTMUELLER, M. O. HUNT, AND S. M. SHOOK 132

A Probabilistic Study of the Influence of Hanger Alignment on the Reliability of Refractory Furnace Roof Anchors—A. E. SEGALL, D. L. SHELLEMAN, M. J. PAM, R. A. LANDY, AND B. R. NELSON 138

Evaluation of a Modified Weibull Distribution for Describing the Strength of Ceramic Fibers and Whiskers with Varying Diameters—Y. T. ZHU, D. P. BUTT, S. T. TAYLOR, AND T. C. LOEW 144

Impact Force Comparison of Polymers: Molded-Notch Versus Cut-Notch Using the ASTM D 256 Izod Impact Test Method—S. L. SCHAEFFER, R. L. JOHNSON, AND W. B. LEWIS 151

© 1998 by the American Society for Testing and Materials

A Method of Finding the Effective Length of the Specimen Used in the Hot Torsion Test and Recommendations on Geometry of the Test Specimen—S. KHODDAM, Y. C. LAM, AND P. F. THOMSON 157

Testing Forum: An International Survey of Small-Crack Research—R. W. HAMM AND W. S. JOHNSON 168

No. 3, May

Studies of the Specific Gravity of Some Indian Coal Ashes—N. S. PANDIAN, C. RAJASEKHAR, AND A. SRIDHARAN 177

Measurement of Crack Arrest Fracture Toughness of a Ship Steel Plate—L. N. PUSSEGODA, L. MALIK, AND J. MORRISON 187

Evaluation of the Fracture Toughness of the Deep-Carburized Layer—YONQUIN FU, YANWEI GU, AND ANDREW W. BATCHELOR 198

Adapting Superpave Technology to Design of Hot Recycled Mixes—KEE Y. FOO AND PRIVTHI S. KANDHAL 203

Ultimate Strength of Resistance Spot Welds Subjected to Combined Tension and Shear—YUNG-LI LEE, TIM J. WEHNER, MING-WEI LU, THOMAS W. MORRISSETT, AND ERIC PAKALNINS 213

Fatigue Crack Propagation Threshold: What Is It and How Is It Measured?—GÜNTER MARCI 220

A Method of Fatigue Testing of Concrete Highway Joint Sealants in Shear—ANGELA D. ROGERS, PEARL LEE-SULLIVAN, AND THEODORE BREMNER 234

Ultrasonic Wave Measurements of Elastic Moduli E, G, and μ for Product Development and Design Calculations—EMMANUEL P. PAPADAKIS 240

On the Determination of Fracture Energy Using the Peel Test—ABDULJALEEL K. MOIDU, ANTHONY N. SINCLAIR, AND JAN K. SPELT 247

Piezo-Actuated Microtensile Test Apparatus—DAVID T. READ 255

Influence of Corrosion on the Fatigue Properties of A1 7075-T6—M. L. DU, F. P. CHIANG, S. V. KAGWADE, AND C. R. CLAYTON 260

Crack Arrest Fracture Toughness Testing of Naval Construction Steels—I. A. BURCH, J. C. RITTER, D. S. SAUNDERS, AND J. H. UNDERWOOD 269

Technical Note: Corrections for Triaxial Tests on Undisturbed Soils—JIAN HUA ZHU AND SCOTT A. ANDERSON 277

Technical Note: Investigation of Welding Effect on Rebars Using Neural Networks—Y. L. MO AND K. J. KOAN 285

Technical Note: Establishing Mechanical Property Allowables for Metals—DALE L. MCLELLAN AND MARGARET M. MCLELLAN 293

No. 4, July

Design and Development of a High-Speed Bearing Test Apparatus—KITAE KIM 301

Asphalt-Rubber Mixture Behavior and Design (Wet Process)—DIMITRIOS G. GOULIAS AND AL HOSAIN ALI 306

Dynamic Calibration of Impact Test Instruments—ALEXEI I. TOROPOV AND MARIO GROSSO 315

Eddy Current Decay and Resistivity Measurements on Longitudinally Grooved High-Purity Aluminum Bars—M. W. GILLENWATER, K. T. HARTWIG, AND C. Y. HUA 320

Variation of Resilient Modulus of Aggregate Base and Its Influence on Pavement Performance—PING TIAN, MUSHARRAF M. ZAMAN, AND JOAKIM G. LAGUROS 329

The Applicability of ASTM Standard Test Specimens to Fracture and Fatigue Crack Growth of Discontinuous-Fiber Composites—GARY C. SALIVAR AND JAMES G. GOREE 336

X-ray Piping Diagnostic System—GYO KAJIWARA 346

Pin-on-Disk Corrosion-Wear Test—FRITZ J. FRIEDERSDORF AND GORDON R. HOLCOMB 352

Stress-State Permeability Relationships for Clays with Coarse Fraction—N. S. PANDIAN, P. S. R. NARASIMHA RAJU, AND T. S. NAGARAJ 358

Adhesively Bonded Strain Gages for Extended Use at 315°C on Polymers—CHRISTOPHER RABZAK, J. MICHAEL PEREIRA, AND GARY D. ROBERTS 367

A Procedure for Fracture Toughness Testing Using a Chevron-Notched Crack-Arrest Specimen—ROBERT J. BONENBERGER, JAMES W. DALLY, AND WILLIAM L. FOURNEY 376

Technical Note: Influence of X-Radiation on Behavior of Strain Gages—ERNANI S. PALMA, OSMAR R. LOURENÇO, AND PAULO DE TARSO V. GOMES 387

Technical Note: Effect of Vibration as a Cause of Leakage in Aluminum Beer Cans in Palletized Loads—S. PAUL SINGH AND MIKE GORZYNSKI 389

Technical Note: A Strategy for Mimicking Voids in Historic Masonry—LAUREN B. SICKELS-TAVES AND MICHAEL S. SHEEHAN 393

Testing Forum: Results from a Round Robin on a Standard Method for Measurement of Fracture Toughness—JOHN D. LANDES AND KEVIN BROWN 396

Book Review 404

No. 5, September

The Dynamic Behavior and Vibration Monitoring of Reinforced Concrete Beams—ZHIJING WANG, XIU TING C. MAN, ROBERT D. FINCH, AND BEN H. JANSEN 405

Stress-Strain Relationship of Common Wire Nails Under Reversed Cyclic Loading—Y. H. CHUI AND C. NI 420

Establishing Uplift Design Values for Metal Connectors in Light-Frame Construction—DAVID V. ROSOWSKY, THOMAS D. REED, AND KENNETH G. TYNER 426

The Modified Sudden Death Test: Planning Life Tests with a Limited Number of Test Positions—FRANCIS G. PASCUAL AND WILLIAM Q. MEEKER 434

Measuring the Triaxial Load-Deformation Response of Orthotropic Materials Subjected to Large and Small Strain Regimes—EDMOND P. SALIKLIS, STEVEN M. CRAMER, AND JOHN C. HERMANSON 444

Experimental Justification for Proposed Changes to the Measurement of K_{Ic} Using ASTM E 399—JAMES A. JOYCE 455

Role of Filter Paper Separators on the Response of Clays Under Long-Duration Sustained Loading—RETNAMONY G. ROBINSON AND MEHTER M. ALLAM 463

Dissipated Energy of Composite Materials—Part I: Cyclic Dynamic Stress—ANDRZEJ K. BLEDZKI AND JOCHEN GASSAN 467

Durability of Geosynthetics Based on Accelerated Thermo-Oxidation Testing—A. SALMAN, D. GOULIAS, AND V. ELIAS 472

A Potential Optical Standard for Resistance Strain Gages—WILLIAM N. SHARPE, JR. 481

Qualitative Assessment of Failure in Bolted Connections: Maximum Stress Criterion—MARCIA PATTON-MALLORY, PATRICK J. PELLICANE, AND FREDERICK W. SMITH 489

Technical Note: Qualitative Assessment of Failure in Bolted Connections: Tsai-Wu Criterion—MARCIA PATTON-MALLORY, PATRICK J. PELLICANE, AND FREDERICK W. SMITH 498

Technical Note: Thermal Diagnostic Method for Vehicle Brakes—LAZAR SEGAL 506

Technical Note: Additional Comments About a Modified Theodolite Instrument: Conceptual Work—MOHAMMED TALEB OBAIDAT AND ZAID A. AL-SMADI 510

Technical Note: A Computer Program to Aid in Fatigue Precracking of Fracture Toughness Test Specimens—H. K. SRIHARSHA, S. ANANTHARAMAN, S. CHATTERJEE, AND R. K. PANDEY 513

No. 6, November

Evaluation of Wear Resistance of Snow Plow Blade Cutting Edges Using the Scratch Test Method—YINGCHANG WEI, WILFRID A. NIXON, AND ZHONGWEI SHI 527

Vickers Hardness Indentations Measured with Atomic Force Microscopy—C. P. JENSEN, J. F. JORGENSEN, J. GARNAES, G. B. PICOTTO, AND G. GORI 532

Evaluation of Mechanical Properties of Functionally Graded Materials—PRABHAKAR R. MARUR AND HAREESH V. TIPPUR 539

Crack-Arrest Testing of Irradiated Nuclear Reactor Pressure Vessel Steels at the Oak Ridge National Laboratory—S. K. ISKANDER, P. P. MILELLA, A. PINI, AND E. T. MANNESCHMIDT 546

A Neural-Based Analog IC Parametric Fault Diagnostic System with Discriminant Simulation Sampling—ANGUS WU 555

Measurement and Interpretation of Fatigue Crack Growth in 7075 Aluminum Alloy Using Acoustic Emission Monitoring—Z. GONG, D. L. DUQUESNAY, AND S. L. MCBRIDE 567

An Alternative Procedure for the Analysis of Data from the Cup Method Measurements for Determinination of Water Vapor Transmission Properties—MAVINKAL K. KUMARAN 575

A Testing Device for the Mechanical Characterization of Wood Beams or Plates Under Bending Compression—G. MUSSOT-HOINARD AND G. FERRON 582

Evaluation of Three Methodologies for Testing Disposable ENT Endoscope Sheaths as Viral Barriers—C. D. LYTLE, C. R. CLAVET, M. P. CHAPUT, G. W. VARNEY, T. M. TO, R. F. CAREY, AND K. H. BAKER 587

Creep Test of Cured-In-Place Pipe Material Under Tension, Compression, and Bending—W. T. STRAUGHAN, N. TANTIRUNGROJ-CHAI, L. K. GUICE, AND H. LIN 594

Effect of Loading Parameters on Post-Overload Fatigue Crack Closure—B. B. VERMA, R. K. PANDEY, AND R. CHINNADURAI 602

Technical Note: Effect of Construction Adhesive and Joist Variability on the Deflection Behavior of Commercial Wood Floors—PATRICK J. PELLICANE AND GEOFFREY ROBINSON 609

Technical Note: Measurement of Fatigue-Creep Dynamic Back Stress and Strain Rate Equation of a Fe-Ni-Cr Alloy—QINGFU HE, GUOLIANG CHEN, AND SHOUHUA ZHANG 617

Technical Note: An H_2-Optimal Control of Random Loading for a Laboratory Fatigue Test—MING LI, BING-HAN XU, AND YOU-SHENG WU 619

Table of Contents 627

Author Index 631

Subject Index 637